


BLX

BLX

BOOT  
LOGIX

—



  
**CleanLogix**  
Integrated • Sanitation • Intelligence

# OVERVIEW

The BLX boot scrubbing series by Clean Logix offers plant personnel the highest level of footwear sanitation for the most demanding food production environments. With our superior design and craftsmanship, Clean Logix provides a hygiene product that is both affordable and durable. Our extended line of options and configurations give users the freedom of choice to select a boot scrubber to fit your needs using the sanitizer of your choice.



## PROTECT THE BRAND

Controlling the quality of employee hygiene helps to prevent the entry of pathogen into the production facility and the spread of contaminants. Better employee hygiene protect both your reputation and your customers.



## BEST VALUE

Leading design and hygiene performance at a competitive price. Get the footwear sanitizer you need at a price that fits your budget. Whether it be a full size walk through or compact manual scrubber, Clean Logix has you covered.

## HIGH PERFORMANCE

Effectively manage the traffic levels of your employees' hygiene methods. Using multiple engagement points Clean Logix boot scrubbers efficiently clean the soles and sides of footwear for a complete clean and sanitation process.



# FEATURES



## CLEANABILITY

Our boot scrubbers are designed to be cleaned easily by eliminating hard to reach spaces. All BLX systems are 100% wash down rated with an open design, solid stainless steel construction, fully welded seams, and easy to remove brushes.

## PREMIUM COMPONENTS

Clean Logix equips all automated BLX systems with wash down rated motors, variable frequency drives, venturi injectors, and activation sensors for a dependable system that both functions and cleans up well.

## SAFETY

Brush torque can be personalized to your needs to customize the sanitation process to your facility. With easily accessible e-stops and minimal pinch points the Clean Logix BLX line emphasizes safety and hygiene in all our equipment.

## DURABLE BRUSHES

The polypropylene brushes on each BLX unit provide exceptional chemical resistance so you can use the sanitizer that works best for your facility. Designed for cleanability the brushes are able to be removed and replaced in seconds, without the need for tools.



# HIGH CAPACITY


# WALK THROUGH

## BLX-1000

Dimensions: 96" x 45" x 54" (L x W x H)

- Solid Member Stainless Steel Construction with Hinged Access Gate
- Two Removable Anti-Slip Steps
- Bi-Directional Entry / Exit with Two Emergency Stops Along Walkway
- Dual 34" X 8" Horizontal Sole Brushes
- Stainless Electrical Enclosure With Variable Speed Drive
- Proximity Sensor and Spring Loaded Gate For Unit Activation With Adjustable Timer
- 100% Wash Down Rated Enclosures, Motors, and Hardware
- Self Draining Tub With 2.5" Tri-Clamp and Four Adjustable Dairy Approved Feet
- Solenoid Activated Brush Spray System and Venturi Injector With 2.5 GPM Flow Rate
- Up to 3 Users at a Time (15-25 Users per Minute)

*Side Shields Available for Increased Splash Protection!*




## BRUSH OPTIONS



### REGULAR

#### BLX-1000R

- Horizontally oriented combination brush for cleaning the soles and sides of boot wear.
- Entire brush assembly cycles together as one unit in one direction.



### VERTICAL

#### BLX-1000V

- Vertically oriented combination brush for cleaning the soles and sides of boot wear.
- Brush assembly cycles independently in multiple directions.
- Vertical brush heights from 6" to 9".



### SOLE ONLY

#### BLX-1000S

- Horizontally oriented brush for cleaning the soles of boot wear.
- Entire brush cycles in one direction.

# HIGH CAPACITY

# COMPACT


## BLX-800

Dimensions: 60" x 45" x 54" (L x W x H)

- Compact Design
- Solid Member Stainless Steel Construction with Hinged Access Gate
- Two Removable Anti-Slip Steps
- Bi-Directional Entry / Exit with Central Emergency Stop
- Stainless Electrical Enclosure With Variable Speed Drive
- Proximity Sensor and Spring Loaded Gate For Unit Activation With Adjustable Timer
- 100% Wash Down Rated Enclosures, Motors, and Hardware
- Self Draining Tub With 2.5" Tri-Clamp Fitting and Four Adjustable Dairy Approved Feet
- Solenoid Activated Brush Spray System and Venturi Injector With 1.5 GPM Flow Rate
- 1 User at a Time (15-25 Users per Minute)




## BRUSH OPTIONS



### REGULAR

#### BLX-800R


- Horizontally oriented combination brush for cleaning the soles and sides of boot wear.
- Entire brush assembly cycles together as one unit in one direction.



### VERTICAL

#### BLX-800V

- Vertically oriented combination brush for cleaning the soles and sides of boot wear.
- Brush assembly cycles independently in multiple directions.
- Vertical brush heights from 6" to 9"



### SOLE ONLY

#### BLX-800S

- Horizontally oriented brush for cleaning the soles of boot wear.
- Entire brush cycles in one direction.



# LOW CAPACITY

# AUTOMATED

## BLX-600

Dimensions: 24.5" x 25" x 46" (L x W x H)

- Solid Member Stainless Steel Construction
- Removable Access Grate
- Single Horizontal Sole Brush with Dual Vertical Side Brushes
- Electrical Enclosure With Variable Speed Drive and Emergency Stop
- Photo Eye Sensor Mounted to Handle For Unit Activation
- 100% Wash Down Rated Enclosures, Motors, and Hardware
- Self Draining Tub With Four Adjustable Dairy Approved Feet
- Solenoid Activated Brush Spray System and Venturi Injector With 1.5 GPM Flow Rate
- 1 User at a Time (2-6 Users per Minute)



## BLX-400

Dimensions: 26" x 20.5" x 46" (L x W x H)

- Solid Member Stainless Steel Construction
- Removable Access Grate
- Single Horizontal Sole Brush with Dual Vertical Side Brushes
- Electrical Enclosure With Variable Speed Drive and Emergency Stop
- Photo Eye Sensor Mounted to Handle For Unit Activation
- 100% Wash Down Rated Enclosures, Motors, and Hardware
- Self Draining Tub With Four Adjustable Dairy Approved Feet
- Solenoid Activated Brush Spray System and Venturi Injector With 1.5 GPM Flow Rate
- 1 User at a Time (2-6 Users per Minute)



# LOW CAPACITY

# MANUAL

Available as **WET** or **DRY** Model

## BLX-200

Dimensions: 30" x 30" x 43" (L x W x H)

- Walk Through Design with Removable Treaded Foot Plates
- Solid Member Stainless Steel Construction
- Two Sole Brushes with 16 Vertical Side Brushes
- 100% Wash Down Rated with Two Removable Debris Trays
- 1 User at a Time (3-10 Users per Minute)




Available as **WET** or **DRY** Model

## BLX-100

Dimensions: 29" x 16" x 44" (L x W x H)

- Single Boot Design
- Removable Treaded Foot Plate for Wet models or Debris Shield and Tray for Dry models
- Solid Member Stainless Steel Construction
- Single Sole Brush with 4 Vertical Side Brushes
- 100% Wash Down Rated
- 1 User at a Time (2-6 Users per Minute)



## CLEANLOGIX, LLC

4928 W. Greenbrooke Dr. SE,  
Grand Rapids, MI 49512

## CONTACT

t: 616-438-9200  
f: 616-588-6242

[sales@clean-logix.com](mailto:sales@clean-logix.com)  
[www.clean-logix.com](http://www.clean-logix.com)

## PREMIUM SUPPORT

Whether it's finding the right product or supporting an already existing one, Clean Logix's customer service team will be there for you to ensure you have the support you deserve.

## DURABLE PRODUCTS

Built to last even in the harshest environments. Clean Logix uses only the toughest and most reliable materials to ensure longevity and performance.

## CUTTING EDGE TECHNOLOGY

Clean Logix is dedicated to providing the highest quality systems using state of the art technology. Our experienced engineers emphasize both function and excellence with each product they develop.

MADE IN THE U.S.A.